

NO. 71307

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 08 2004

Returned to applicant for correction _____

Corrected application filed _____

Map filed APR 02 2002 under 68675

The applicant **Jeff and Greg Whitaker (Whitaker Dairy)** hereby makes application for permission to change the **point of diversion, manner of use and place of use** of water heretofore appropriated under **54319**

1. The source of water is **underground**
2. The amount of water to be changed **0.09 cfs 10.95 mga**
3. The water to be used for **commercial use**
4. The water heretofore permitted for **quasi municipal & domestic**
5. The water is to be diverted at the following point **located in the SE¼-NW¼ of Section 23, T.18N., R.28E., M.D.B&M., from a point that bears S 42° 20' 32" E a distance of 5224.00 feet to the SE corner of said Section 23 refer to map filed under 68675**
6. The existing permitted point of diversion is located within **the NW¼ - NE¼ of Sec. 29 T.19N R.28E MDB&M from a point that bears N 74°-03'-20" E a distance of 1909.70 feet to the NE corner of said Section 29 refer to map filed under 54319**
7. Proposed place of use **the N½ - SE¼ - NW¼ of Section 23, T.18N., R.28E., MDB&M, a total of 20.0 acres Refer to map under 68675**
8. Existing place of use **15.25 acres in the NW¼ - NE¼ of Sec. 29, T.19N., R.28E MDB&M refer to map under 54319**
9. Use will be from **Jan 1 to Dec. 31** of each year.
10. Use was permitted from **Jan 1 to Dec 1** of each year.
11. Description of proposed works **Existing well under Permit 68675**
12. Estimated cost of works **existing**
13. Estimated time required to construct works **done**
14. Estimated time required to complete the application of water to beneficial use **5 yrs.**

15. Remarks: Commercial dairy operation

By Jeff Whitaker
s/ Jeff Whitaker
2295 Sorensen Rd.
Fallon NV 89406

Compared gkl/sam lt/ sam

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of the waters of an underground source as heretofore granted under Permit 54319 is issued subject to the terms and conditions imposed in said Permit 54319 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 71306 and 71307 shall not exceed 33.60 acre-feet annually.

The total combined duty of water under Permits 68675, 71306, 71307 and 71645 shall not exceed 44.07 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.09 cubic feet per second, not to exceed 33.60 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

October 7, 2008

Proof of the application of water to beneficial use shall be filed on or before:

November 7, 2008

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 31st day of July, A.D. 2006

Tracy Taylor, P.E.
State Engineer

Completion of work filed May 29, 2003 under 68675

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____